



# PRODUCTS

## CATALOG



Mfg.of Danline Ropes, PP Ropes, HDPE Ropes and  
All type of Ropes Yarns, Twine etc

# About Us

We at Divine Industries aim to manufacture high quality plastic ropes. We are having fully Integrated set up of modern manufacturing facility that can produce goods that can match quality of international standards and well built infrastructure to store raw material, production department, packaging department and storage of finished goods.

Here production department is headed by highly professional and experienced person having experience of 15+ years in rope industry, while marketing & export is headed by young & enthusiastic professional.





# PRODUCTS




PP Danline Rope



HDPE Monofilament



PP Baler Twine



Telstra Rope



HDPE Rope  
(Cone Packing)



HDPE Rope  
(Hank Packing)

M a i l u s

info@divineindustries.in

# BRIEF

## PRODUCT DETAILS




D I V I N E I N D U S T R I E S

Mfg.of Danline Ropes, PP Ropes, HDPE Ropes and  
All type of Ropes Yarns, Twine etc

# PP Danline Rope

## SPECIFICATIONS



SIZE		Weight	Minimum Breaking Strength
Dia (mm)	Dia (inch)	(kg/100m)	(kgf of tons) (KGF)
4	5/32	0.727	240
5	3/16	1.136	320
6	7/32	1.636	602
7	1/4	2.227	750
8	5/16	2.909	1,060
9	11/32	3.681	1,190
10	3/8	4.545	1,560
12	1/2	6.545	2,210
14	9/16	8.909	3,050
16	5/8	11.636	3,770
18	3/4	14.727	4,810
20	13/16	18.181	5,800
22	7/8	22	6,960
24	1	26.181	8,130
26	1 1/16	30.727	9,410
28	1 1/8	35.636	10,700
30	1 1/4	40.909	12,220
32	1 5/16	46.545	13,500
34	1 3/8	52.545	14,400
36	1 7/16	58.909	16,930

## Characteristics

- High U/V light resistance
- Anti-Abrasion
- Stronger than PP Mono Ropes
- Cost effective & High strength

Same breaking strength in dry or wet conditions

## Applications 3-Strand

- Fishing & Marine  
(Aquaculture & Fish Farming)
- Industrial
- Rigging & Used in oil fields

# PP DANLINE ROPE



# HDPE Monofilament Rope

## SPECIFICATIONS



SIZE		Weight	Minimum Breaking Strength
Dia (mm)	Dia (inch)	(kg/100m)	(kgf of tons) (KGF)
4	5/32	0.727	200
5	3/16	1.136	290
6	7/32	1.636	400
7	1/4	2.227	550
8	5/16	2.909	700
9	11/32	3.681	900
10	3/8	4.545	1090
12	1/2	6.545	1540
14	9/16	8.909	2090
16	5/8	11.636	2800
18	3/4	14.727	3500
20	13/16	18.181	4300
22	7/8	22	5100
24	1	26.181	6100
26	1 1/16	30.727	
28	1 1/8	35.636	
30	1 1/4	40.909	
32	1 5/16	46.545	
34	1 3/8	52.545	
36	1 7/16	58.909	

## Characteristics


- Resistance to abrasion
- Shock loading
- Smooth finish
- Easy to handle

Same breaking strength in dry or wet conditions

## Applications 3-Strand

- Commercial
- Trap fishing application
- Marine & Fishing
- Trap fishing application
- Line haulers

HDPE MONOFILAMENT ROPE






# PP Baler Twine



PP  
Baler  
Twine

## ■ Technical Information :


- Denier  
10,000 to 1,00,000
- Packing Type  
6" Inch, 8" Inch, 10" Inch & 12" Inch Height
- Coil Weight  
250gm, 500gm, 1kgs, 2kgs, 4kgs & 10kgs
- Colours  
Yellow, White, Blue  
    
Yellow      White      Blue  
Other colours as per requirement

PP BALER TWINE



# Telstra Rope

Telstra  
Rope



## ■ Technical Specifications

- Product: 6mm Polypropylene Cable Hauling Rope
- Application: Cable Hauling in HDPE Duct for telecommunication industry

Particulars	Value	Particulars	Value
Size	6 mm	Material Used	Polypropylene Homopolymer
Length of Each Coil	400 m	Type Of Lay	Soft Lay
Weight of Each Coil	6.5 Kg	Breaking Strength	Above 600 KG
No. of Strand	3	Other Properties	Resistance to Abrasion Long Life and Durable Does not absorb Water Floats on Water
Color	Blue/Blue/Yellow		

- Tolerance: +/- 5% to be permitted for all the above mentioned values.

TELSTRA ROPE





# HDPE Rope

(Cone Packing)



HDPE  
Rope  
(Cone Packing)

# HDPE Rope

(Hank Packing)



HDPE  
Rope  
(Hank Packing)

# HDPE Rope

(Cone Packing)


# HDPE Rope

(Hank Packing)



# Wooden Drum

Packing



Wooden  
Drum

Packing

# Plastic Spool

Packing

Plastic  
Spool

Packing



## Wooden Drum

Packing

## Plastic Spool

Packing



## ■ SIZE

- 2mm to 36mm (3-Strand)
- 16mm to 36mm (4-Strand)

## ■ TOLERANCE

- upto 14mm +/- 8%
- above 14mm +/-5%

## ■ COIL LENGHTS

These ropes are available in 100/200/300 mtrs or yards or 300/600/1200 ft. (Long lengths are available on request.)

## ■ COLOURS

Available as per customer's requirement

Running colors are...



Yellow



White



Blue



Red



Green



Orange

With and without tracer yarn

## ■ PACKAGING

Ropes are generally packed individually in plastic bags and then coils are packed in woven bags for shipping.

Note : Please Feel free to contact us for any kind of inquiry related to different kinds of danline rope, pp rope, hdpe rope, mono rope, pe rope, mooring rope, manila rope, pp baler twine, pe baler twine, mono-filament yarn and also from recycled material.

## ■ MOQ MINIMUM ORDER QUANTITY


- 20ft container approx 20MT
- 40ft container approx 22MT




# Divine Industries

Survey No.133p, Near Rameshwar Industrial Estate,  
Veraval (Shapar), Gondal Road,  
Rajkot 360024, Gujarat, INDIA.


## Export/Sales Department

 Ravish Nadpara  
+91-98250 66457

## Production Department

 Smit Nadpara  
+91 99742 37908

## Purchase Department

 Dhirubhai Nadpara  
+91-98242 49798



Mail us at  
[info@divineindustries.in](mailto:info@divineindustries.in)



please do visit us on our website  
[www.divineindustries.in](http://www.divineindustries.in)

